EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	747	343/795.ccls.	USPAT	OR	OFF	2011/07/15 10:34
L2	22591	five adj2 percent	USPAT	OR	OFF	2011/07/15 10:34
L3	5	1 2	USPAT	AND	OFF	2011/07/15 10:34
L4	1038	anti-collision	USPAT	OR	OFF	2011/07/15 10:51
L5	1229	anti$1collision	USPAT	OR	OFF	2011/07/15 10:51
L6	18156	output near enable	USPAT	OR	OFF	2011/07/15 10:52
L7	5	5 6	USPAT	AND	OFF	2011/07/15 10:53
L8	2	("20040203478" | "6765959").PN. OR ("7821378").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/15 11:01
L9	169935	"340".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/15 11:02
L10	607	6 9	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 11:02
L11	3	5 10	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 11:02
L12	61529	timing adj2 circuit	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 11:03
L13	36	5 12	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 11:03
L14	19	9 13	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 11:03
L15	56	timing adj2 circuit same enable adj3 signal 9	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 11:27
L16	0	timing adj2 circuit same enable adj3 signal 9 same random near delay	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 11:34
L17	1	timing adj2 circuit same enable adj3 signal 9 random near delay	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 11:34
L32	11	("5305008" | "5649296" | "5842118" | "5952922" | "6016128" | "6236315" |	US-PGPUB; USPAT;	OR	OFF	2011/07/15 11:38

		"6243012"	"6265963"	"6373389"	"6972683"	"7057511").PN. OR ("7408456").URPN.	USOCR			
L33	10	voltage same timing adj2 circuit same enable adj3 signal 9	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 11:48
L34	1742	timing adj2 circuit same enable adj3 signal	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 11:57
L35	336275	radio adj frequency	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 11:58
L36	75	34 35	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 11:58
L37	0	timing adj2 circuit same enable adj3 signal near QPSK	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 12:02
L38	25	timing adj2 circuit same enable adj3 signal QPSK	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 12:02
L39	2	RFID timing adj2 circuit same enable adj3 signal 9	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 13:15
L40	0	timing adj2 signal "340".10.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 13:16
L41	0	timing adj2 signal 340/10.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 13:16
L42	303	timing adj2 signal 340/10.$.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 13:16
L43	0	timing adj2 signal near random 340/10.$.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 13:17
L44	0	timing adj2 signal near anti$1collision 340/10.$.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 13:17
L45	73	generat$4 near tim$3 adj2 signal 340/10.$.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 13:22
L46	23	("5530702" | "5699066" | "5751570" | "5966083").PN. OR ("6784787").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/15 13:34
L47	1	temperature sensor quartz resonator and RFID	US-PGPUB; USPAT; USOCR	ADJ	OFF	2011/07/15 13:46
L48	0	temperature resonator and RFID	US-PGPUB; USPAT; USOCR	ADJ	OFF	2011/07/15 13:46
L49	2	temperature sensor quartz resonator	US-PGPUB; USPAT; USOCR	ADJ	OFF	2011/07/15 13:46
L50	3762	plurality near tags	US-PGPUB; USPAT; USOCR	ADJ	OFF	2011/07/15 14:33

L51	0	Diorio.in. 50	US-PGPUB; USPAT; USOCR	ADJ	OFF	2011/07/15 14:35
L52	267	Diorio.in.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2011/07/15 14:35
L53	8	Diorio.in. 50	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 14:35
L54	48	QPSK response 340/10.$.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 14:50
L55	6	QPSK response 340/10.$.ccls. (anti$1collision or (collision adj avoidance))	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 14:58
L56	0	340/10.$.ccls. (object or obstacle) near between near (reader or interrogator) near (tag or transponder)	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 15:02
L57	0	(object or obstacle) near (between or block$4) near (reader or interrogator) near (tag or transponder)	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 15:03
L58	1	("7616113").PN.	USPAT; USOCR	OR	OFF	2011/07/15 15:13
L59	0	obstacle near present near propogation	USPAT	OR	OFF	2011/07/15 15:16
L60	0	obstacle near present near propagation	USPAT	OR	OFF	2011/07/15 15:17
L61	0	obstacle near present near propagation	USPAT	AND	OFF	2011/07/15 15:17
L62	0	(obstacle or object) near present near propagation	USPAT	AND	OFF	2011/07/15 15:17
L63	0	(obstacle or object) near "present" near propagation	USPAT	AND	OFF	2011/07/15 15:17
L64	0	(obstacle or object) near (present or exist$4) near (propogation or (signal adj path))	USPAT	AND	OFF	2011/07/15 15:18
L65	1	"7787886"	USPAT	AND	OFF	2011/07/15 15:21
L66	4	("5926133" | "6738697" | "6785553" | "6868074").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/15 15:21
L67	328320	anit$1collision (block$4 or interefer$4) near12 (signal or propagation)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/15 15:27
L68	0	anit$1collision and (block$4 or interefer$4) near12 (signal or propagation)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/15 15:27
L69	328317	(block$4 or interefer$4) near12 (signal or propagation)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/15 15:27
L70	375242	RFID 69	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/15 15:28
L71	4434	RFID 69	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 15:28

L72	5203	70 340/10.$.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 15:28
L73	614	71 340/10.$.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 15:28
L74	0	obstacle near12 present 340/10.$.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 15:32
L75	0	obstacle near12 present 73	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 15:32
L76	406	(interrogator or reader) near12 three adj2 dimension$2	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 16:17
L77	41255	(position or location) near20 (tag or transponder)	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 16:18
L78	56	76 77	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 16:18
L79	15267	(interrogator or reader) near12 (antenna or antenna adj array)	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 16:39
L80	15267	(interrogator or reader) near12 (antenna or (antenna adj array))	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 16:39
L81	41	78 80	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 16:39
L82	16	81 phase	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/15 16:42
L83	68	("20010006368" | "20010054082" | "20020038267" | "20020041233" | "20020044096" | "20020149481" | "4375642" | "4560978" | "4694283" | "4703327" | "4827395" | "5136719" | "5268695" | "5347280" | "5406297" | "5434775" | "5461385" | "5602556" | "5629981" | "5640002" | "5661457" | "5727153" | "5729236" | "5751220" | "5751256" | "5777561" | "5786763" | "5798693" | "5800724" | "5825814" | "5884278" | "5902437" | "5963173" | "6002344" | "6037879" | "6046683" | "6055509" | "6057756" | "6058374" | "6069564" | "6094173" | "6105002" | "6112988" | "6137447" | "6150921" | "6154137" | "6166706" | "6172596" | "6173891" | "6204764" | "6259991" | "6286762" | "6317650" | "6320556" | "6335686" | "6339762" | "6341269" | "6351215" | "6354495" | "6395373" | "6398105" | "6400272" | "6462656" | "6600418" | "6600420" | "6686830" | "6714121" | "6747560").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/15 16:45
S1	13	ladder adj boost$4	US-PGPUB; USPAT; USOCR;	AND	ON	2011/06/23 15:26

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S2	5	RFID S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/23 15:26
S3	755	Cockcroft adj Walton	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/23 15:36
S4	10	RFID S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/23 15:36
S5	7	"340".clas. S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/23 15:40
S6	1	RFID ladder adj boost adj rectif$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 12:59
S7	1	RFID ladder near boost near rectif$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 12:59
S8	1	ladder near boost near rectif$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 12:59
S9	290	ladder boost rectif$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 13:00
S10	6324	microstrip near antenna	US-PGPUB;	AND	ON	2011/07/14

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			13:26
S11	536808	power near12 receiv$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 13:26
S12	1149	S10 S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 13:26
S13	7452	340/10.$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 13:26
S14	79	S12 S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 13:26
S15	23	oscillat$4 S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 13:27
S16	24	("5313211" | "5491715" | "5530637" | "5649295" | "5649296").PN. OR ("5826175").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/14 13:39
S17	197907	"340".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 13:41
S18	218	S10 S11 S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 13:42
S19	3	S18 QPSK	US-PGPUB; USPAT; USOCR;	AND	ON	2011/07/14 13:53

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S20	19	("5019815" | "6046676").PN. OR ("6137422").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/14 16:58
S21	25904	RFID near (tag or transponder)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/14 17:00
S22	916104	diode capacitor zener S21	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/14 17:02
S23	140	diode capacitor zener S21	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/14 17:02
S24	2	microstrip near antenna S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 17:04
S25	1114374	diode capacitor impedance S21	US-PGPUB; USPAT; USOCR	OR	OFF	2011/07/14 17:05
S26	1027	diode capacitor impedance S21	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/14 17:05
S27	43	microstrip near antenna S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/07/14 17:06
S28	21810	frequency adj2 divider	USPAT	OR	OFF	2011/07/14 17:18
S29	0	S27 S28	USPAT	AND	OFF	2011/07/14 17:18
S30	48	S21 S28	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/14 17:19
S31	2	ladder near boost RFID	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/14 17:41
S32	5	stub near (resonance or resonant) RFID	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/14 17:41
S33	4	ladder near boost	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/14 17:42
S34	250	stub near (resonance or resonant)	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/14 17:42
S35	1	S33 S34	US-PGPUB; USPAT; USOCR	AND	OFF	2011/07/14 17:42

S36	300	Cockcroft adj2 Walton	USPAT	OR	OFF	2011/07/14 18:17
S37	13458	RFID S36	USPAT	OR	OFF	2011/07/14 18:17
S38	1	RFID S36	USPAT	AND	OFF	2011/07/14 18:17
S39	50	Cockcroft adj2 Walton near circuit	USPAT	OR	OFF	2011/07/14 18:20
S40	45400	RFID multi adj stage	USPAT	OR	OFF	2011/07/14 18:22
S41	0	RFID and multi adj stage adj recitifer	USPAT	OR	OFF	2011/07/14 18:22
S42	0	RFID and multi adj stage adj rectifer	USPAT	OR	OFF	2011/07/14 18:22
S43	0	RFID and multi adj stage near rectifer	USPAT	OR	OFF	2011/07/14 18:22
S44	15	multi adj stage near rectif$4	USPAT	OR	OFF	2011/07/14 18:22
S45	13169	RFID S44	USPAT	OR	OFF	2011/07/14 18:22
S46	5	RFID S44	USPAT	AND	OFF	2011/07/14 18:23
S47	4	antenna spaced near20 five adj percent	USPAT	AND	OFF	2011/07/14 18:35
S48	14	antenna near20 five adj percent	USPAT	AND	OFF	2011/07/14 18:41
S49	6173	PIN adj diode	USPAT	AND	OFF	2011/07/14 18:56
S50	149	S49 RFID	USPAT	AND	OFF	2011/07/14 18:56